


Drop Preventing Nets

The Drop Preventing Nets are dropped object prevention devices, that reduce the risk of harm to people and critical equipment caused by items falling from height.

The Nets enclose and tether items and fixtures located at height (such as lights, speakers, horns, CCTV cameras, etc.) to prevent these items from becoming a dropped objects hazard (from impact, fatigue, corrosion, vibration or poor maintenance).



Fixture Types



Quotations


Fixtures installed at height vary in shape, size, weight and mounting configuration. To select the correct part number from this product guide, or to make a new product enquiry, you must provide accurate information about your fixture(s). In order for us to provide an accurate quotation, you must follow the Ordering Process .

WARNING

**The attachment structure must be strong enough to support the fixture if it drops.
Install Dropsafe Net only if:**

1. The distance between the fixture and the attachment point is:

 - vertically less than 30 cm (12")
 - horizontally less than 50 cm (20")
2. The net must be snug (not loose) around the fixture.



Features

- 

Designed and tested to over five times (5X) the product Safe Working Load (SWL)
- 

Available for a wide range of fixtures (custom designs also available)
- 

SUS/AISI 316 stainless steel wire and components

Nets For Floodlights

Part No.: 7500070




Fixture Weight
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 300 mm (11.8")
B = 300 mm (11.8")
C = 300 mm (11.8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500070




Fixture Specifications
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 255 mm (10")
B = 205 mm (8")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500085



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 330 mm (13")
C = 330 mm (13")

Mounting configuration
Rear-mounted



Net fits this way

Part No.: 7500085




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 490 mm (19.3")
B = 310 mm (12.2")
C = 300 mm (11.8")

Mounting configuration
Rear-mounted

Net fits this way



Part No.: 7500090




Fixture Weight
SWL: 20 kg (44 lbs)


Fixture Dimensions
A = 410 mm (16")
B = 410 mm (16")
C = 200 mm (8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500091




Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 740 mm (29")
B = 590 mm (23")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500091




Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 760 mm (30")
B = 535 mm (21")
C = 330 mm (13")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500100




Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 375 mm (15")
C = 280 mm (11")

Mounting configuration
Rear-mounted

Net fits this way




Part No.: 7500100



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 460 mm (18")
C = 265 mm (10.5")

Mounting configuration
Rear-mounted



Net fits this way

Part No.: 7500100




Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 365 mm (14.3")
B = 305 mm (12")
C = 265 mm (10.5")

Mounting configuration
Rear-mounted

Net fits this way



Nets For Floodlights

Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 535 mm (21")
B = 460 mm (18")
C = 165 mm (6.5")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 570 mm (22.4")
B = 490 mm (19.3")
C = 235 mm (9.3")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 530 mm (21")
B = 385 mm (15")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 500 mm (19.7")
C = 230 mm (9")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 455 mm (18")
B = 405 mm (16")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 530 mm (21")
B = 430 mm (17")
C = 175 mm (7")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500107




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (24")
B = 420 mm (16.5")
C = 160 mm (6.3")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500110




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 430 mm (17")
C = 265 mm (10.5")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500110




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 450 mm (17.7")
B = 400 mm (15.7")
C = 265 mm (10.5")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 615 mm (24")
B = 490 mm (19.5")
C = 340 mm (13.5")

Mounting configuration
Rear-mounted



Net fits this way

Nets For Floodlights


Part No.: 7500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 400 mm (15.7")
C = 400 mm (15.7")

Mounting configuration
Rear-mounted




Part No.: 7500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 440 mm (17.3")
C = 235 mm (9.3")

Mounting configuration
Rear-mounted




Part No.: 7500152



Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 600 mm (23.6")
C = 340 mm (13.3")

Mounting configuration
Side-mounted




Part No.: 7500155



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 570 mm (22.4")
B = 420 mm (16.5")
C = 450 mm (17.7")

Mounting configuration
Side-mounted




Part No.: 7500180



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 620 mm (24.5")
B = 490 mm (19.5")
C = 510 mm (20")

Mounting configuration
Side-mounted




Part No.: 7500185



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 690 mm (27")
B = 690 mm (27")
C = 310 mm (12")

Mounting configuration
Side-mounted




Part No.: 7500185



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 530 mm (21")

Mounting configuration
Side-mounted




Part No.: 7500190



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 400 mm (15.7")
B = 200 mm (8")
C = 150 mm (6")

Mounting configuration
Rear-mounted




Part No.: 7500320



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 560 mm (22")
B = 215 mm (8.5")

Mounting configuration
Rear-mounted




Part No.: 7500325



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 635 mm (25")
B = 280 mm (11")

Mounting configuration
Rear-mounted



Nets For Floodlights

Part No.: 7500327  Fixture Weight SWL: 25 kg (55 lbs) Fixture Dimensions A = 580 mm (22.8") B = 510 mm (20") Mounting configuration Rear-mounted	Part No.: 7500327  Fixture Weight SWL: 25 kg (55 lbs) Fixture Dimensions A = 610 mm (24") B = 300 mm (11.8") Mounting configuration Rear-mounted
Part No.: 7500327  Fixture Weight SWL: 25 kg (55 lbs) Fixture Dimensions A = 460 mm (18") B = 430 mm (17") Mounting configuration Rear-mounted	Part No.: 7500330  Fixture Weight SWL: 27 kg (59.5 lbs) Fixture Dimensions A = 700 mm (27.6") B = 420 mm (16.5") Mounting configuration Rear-mounted
Part No.: 7500331  Fixture Weight SWL: 8 kg (17.6 lbs) Fixture Dimensions A = 355 mm (14") B = 275 mm (10.8") Mounting configuration Rear-mounted	Part No.: 7500335  Fixture Weight SWL: 20 kg (44 lbs) Fixture Dimensions A = 406 mm (15.9") B = 83 mm (3.3") Mounting configuration Side-mounted Rear-mounted

Nets For Fluorescent/LED Strip Lights

Part No.: 7500610  Fixture Weight SWL: 20 kg (44 lbs) Fixture Dimensions A = 1840 mm (72.5") B = 110 mm (4.3") Mounting configuration Rear-mounted	Part No.: 7500620  Fixture Weight SWL: 20 kg (44 lbs) Fixture Dimensions A = 740 mm (29") B = 210 mm (8.3") C = 150 mm (6") Mounting configuration Rear-mounted
Part No.: 7500626  Fixture Weight SWL: 8 kg (17.6 lbs) Fixture Dimensions A = 445 mm (17.5") B = 54 mm (2.1") Mounting configuration Rear-mounted	Part No.: 7500627  Fixture Weight SWL: 8 kg (17.6 lbs) Fixture Dimensions A = 1059 mm (41.7") B = 54 mm (2.1") Mounting configuration Rear-mounted


Nets For Fluorescent/LED Strip Lights

Part No.: 7500628

Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 1380 mm (54.3")
B = 54 mm (2.1")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500630

Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 900 mm (35.5")
B = 190 mm (7.5")
C = 130 mm (5.1")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1320 mm (52")
B = 190 mm (7.5")
C = 140 mm (5.5")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1360 - 1500 mm (53.5-59")
B = 190 mm (7.5")
C = 130 mm (5")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 210 mm (8.5")
C = 150 mm (6")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1385 mm (54.5")
B = 165 mm (6.5")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500650

Fixture Weight
SWL: 32 kg (71 lbs)

Fixture Dimensions
A = 1350 - 1500 mm (53 - 59")
B = 230 mm (9")
C = 160 mm (6.5")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500650

Fixture Weight
SWL: 32 kg (71 lbs)

Fixture Dimensions
A = 1610 mm (63.5")
B = 170 mm (6.8")
C = 105 mm (4")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500670

Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 300 mm (12")
C = 180 mm (7")

Mounting configuration
Rear-mounted




↑
Net fits this way

Part No.: 7500670

Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 160 mm (6.3")
C = 130 mm (5.1")

Mounting configuration
Rear-mounted



↑
Net fits this way

Nets For Speakers/Horns

Part No.: 7500070




Fixture Weight
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 340 mm (13.4")
B = 250 mm (9.8")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500320



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 420 mm (16.5")
B = 340 mm (13.4")
C = 200 mm (8")

Mounting configuration
Rear-mounted



Net fits this way

Part No.: 7500750




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 255 mm (10")
B = 205 mm (8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500815




Fixture Weight
SWL: 6 kg (13 lbs)

Fixture Dimensions
A = 215 mm (8.5")
B = 140 mm (5.5")
C = 140 mm (5.5")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500820



Fixture Weight
SWL: 6 kg (13 lbs)

Fixture Dimensions
A = 380 mm (15")
B = 260 mm (10.5")
C = 200 mm (8")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 7500860



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 590 mm (21.6")
B = 380 mm (7.4")
C = 250 mm (8.8")

Mounting configuration
Rear-mounted



Net fits this way

Part No.: 7500930




Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 245 mm (9.6")
B = 165 mm (6.5")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500931



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 550 mm (21.7")
B = 190 mm (7.4")
C = 225 mm (8.8")

Mounting configuration
Rear-mounted



Net fits this way

Nets For Navigation/Strobe Lights

Part No.: 7500320




Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 510 mm (20")
B = 215 mm (8.5")

Mounting configuration
Rear-mounted

Net fits
this way



Part No.: 7500720




Fixture Weight
SWL: 4 kg (8.8 lbs)

Fixture Dimensions
A = 220 mm (8.7")
B = 140 mm (5.5")

Mounting configuration
Rear-mounted

Net fits
this way



Part No.: 7500730




Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 240 mm (9.5")
B = 210 mm (8.3")

Mounting configuration
Rear-mounted

Net fits
this way




Part No.: 7500750



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 400 mm (15.7")
B = 200 mm (8")

Mounting configuration
Rear-mounted



Net fits
this way


Part No.: 7500793



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 485 mm (19")
B = 360 mm (14.2")

Mounting configuration
Rear-mounted



Net fits
this way

Nets For CCTV Cameras

Part No.: 7500930




Fixture Weight
SWL: 10 kg (22 lbs)


Fixture Dimensions
A = 220 mm (8.7")
B = 220 mm (8.7")
C = 170 mm (6.7")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 7500941




Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 300 mm (11.8")
B = 100 mm (4")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 7500942



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 210 mm (8.3")
B = 180 mm (7")
C = 130 mm (5.1")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 7500945



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 500 mm (19.7")
B = 140 mm (5.5")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 7500946



Fixture Weight
SWL: 19 kg (42 lbs)

Fixture Dimensions
A = 325 mm (12.7")
B = 310 mm (12.2")
C = 220 mm (8.7")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 7500947



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 430 mm (17")
B = 168 mm (6.6")
C = 160 mm (6.3")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 7500948



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 460 mm (18.1")
B = 190 mm (7.5")
C = 130 mm (5.1")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 7500949



Fixture Weight
SWL: 17 kg (37.5 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 100 mm (4.0")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 7500950



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 325 mm (12.8")
B = 240 mm (9.4")
C = 170 mm (6.7")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 7500951



Fixture Weight
SWL: 8 kg (18 lbs)

Fixture Dimensions
A = 260 mm (10.2")
B = 210 mm (8.3")
C = 140 mm (5.5")

Mounting configuration
Rear-mounted



Net fits this way

Nets For CCTV Cameras


Part No.: 7500952



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 295 mm (11.60")
B = 220 mm (8.66")
C = 165 mm (6.50")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 7500952



Fixture Weight
SWL: 18 kg (40 lbs)


Fixture Dimensions
A = 338 mm (13.30")
B = 220 mm (8.66")
C = 165 mm (6.50")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 7500954



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 480 mm (18.9")
B = 176 mm (7")

Mounting configuration
Side-mounted



↗
Net fits this way

Nets For Junction Boxes, Heat, Smoke & CO2 Detectors


Part No.: 7500311



Fixture Weight
SWL: 1 kg (2.2 lbs)

Fixture Dimensions
A = 120 mm (4.7")
B = 70 mm (2.8")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 7500311



Fixture Weight
SWL: 1 kg (2.2 lbs)

Fixture Dimensions
A = 130 mm (5.1")
B = 130 mm (5.1")
C = 80 mm (3.1")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 7500316



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 150 mm (5.9")
B = 150 mm (5.9")
C = 110 mm (4.3")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 7500317



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 150 mm (5.9")
B = 150 mm (5.9")
C = 150 mm (5.9")

Mounting configuration
Rear-mounted



↑
Net fits this way


Nets For Pipe Clamps

Part No.: 7500219



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 380 mm (15")
B = 285 mm (11")
C = 120 mm (5")




Part No.: 7500220




Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 280 mm (11")
B = 255 mm (10")
C = 100 mm (4")




Part No.: 7500221



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 152 mm (6")
B = 130 mm (5")
C = 60 mm (2")




Part No.: 7500222



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 115 mm (4.5")
B = 100 mm (4.3")
C = 45 mm (1.8")




Part No.: 7500223



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 70 mm (2.8")
B = 56 mm (2.2")
C = 30 mm (1.2")




Part No.: 7500224




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 55 mm (2.2")
B = 40 mm (1.6")
C = 30 mm (1.2")




Part No.: 7500225



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 115 mm (4.5")
B = 97 mm (3.8")
C = 45 mm (1.8")




Part No.: 7500226



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 206 mm (6.6")
B = 178 mm (7")
C = 80 mm (3.1")




Part No.: 7500227



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 210 mm (8.2")
C = 90 mm (3.5")




Part No.: 7500228



Fixture Weight
SWL: 8 kg (17.6 lbs)


Fixture Dimensions
A = 206 mm (6.6")
B = 178 mm (7")
C = 160 mm (6.3")



Nets For Pipe Clamps


Nets For Anode

Part No.: 7500229



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 210 mm (8.2")
C = 180 mm (7.1")




Net fits this way

Part No.: 7500390



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 1525 mm (60")
B = 65 mm (2.5")
C = 65 mm (2.5")



Net fits this way

Nets For Self-Retracting Lifelines

Part No.: 7500201



Fixture Weight
SWL: 40 kg (88 lbs)

Fixture Dimensions
A = 295 mm (11.6")
B = 150 mm (6")
C = 90 mm (3.5")



Mounting configuration
Rear-mounted

Net fits this way

Part No.: 7500203



Fixture Weight
SWL: 50 kg (110 lbs)

Fixture Dimensions
A = 350 mm (13.8")
B = 200 mm (8")
C = 165 mm (6.5")



Mounting configuration
Rear-mounted

Net fits this way

Part No.: 7500205



Fixture Weight
SWL: 60 kg (132 lbs)

Fixture Dimensions
A = 475 mm (18.7")
B = 280 mm (11")
C = 185 mm (7.3")



Mounting configuration
Rear-mounted


Net fits this way

Part No.: 7500208



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 170 mm (6.7")
B = 100 mm (3.9")
C = 56 mm (2.2")



Mounting configuration
Rear-mounted

Net fits this way